

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Racoon RIM GLOSS COAT Rim Gloss Sealant
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available. · Application of the substance / the mixture Rim Sealant
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Racoon Cleaning Products UG Haftungsbeschränkt Kaiserstrasse 44 D - 66121 Saarbrücken Tel. + 49 (0) 681 765 907 30 Mail info@racoon-cleaner.com www.racoon-cleaner.com

- · Further information obtainable from: product safety department
- Emergency telephone number: Gift Notruf Uni Mainz +49 6131-19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02 GHS07 GHS08

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 1)

- · Signal word Danger
- · Hazard-determining components of labelling:

Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane,

Cycloalkane, < 2% Aromaten

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Hydrocarbons, C13-C16, isoalkanes, cyclics, <2% aromatics

Hazard statements

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane,

≥50-≤100%

Cycloalkane, < 2% Aromaten

♠ Flam. Lig. 3, H226; ♦ Asp. Tox. 1, H304; ♦ STOT SE 3, H336; Aquatic Chronic 3, H412

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

2.5-10%

♦ Acute Tox. 3, H331; ♦ Asp. Tox. 1, H304; ♦ Acute Tox. 4, H312

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons >30%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 2)

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information

· Appearance:

Form: Fluid Colour: Milky

Odour: CharacteristicOdour threshold: Not determined.

• **pH-value at 20 ℃**: 5-6

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point: -24 ℃

Flammability (solid, gas): Not applicable.
Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

(Contd. on page 5)

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 4)

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

 Lower:
 0.3 Vol %

 Upper:
 7 Vol %

 • Vapour pressure at 20 ℃:
 1 hPa

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic at 20 ℃: <20 mm²/s

· Solvent content:

 Organic solvents:
 70-<100 %</td>

 VOC (EC)
 70-<100 %</td>

 Solids content:
 0.0 %

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Dermal LD50 >40,000 mg/kg
Inhalative LC50 (4h) >99-186 mg/l (rabbit)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Oral LD50 5,000-15,000 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rat)

3,160-5,000 mg/kg (rabbit)

Inhalative LC50 (4h) 5 mg/l/8h (rat)

4.951-9.3 mg/l (rabbit)

Hydrocarbons, C13-C16, isoalkanes, cyclics, <2% aromatics

Oral LD50 5,000 mg/kg (rat)

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 5)

Dermal LD50 3,160 mg/kg (rabbit) Inhalative LC50 (4h) 5,266-5,991 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane,

Cycloalkane, < 2% Aromaten

EC50 (48h) 22-46 mg/l (Daphnia magna)

EC50 (72h) >1,000 mg/l (Pseudokirchneriella subcapitata)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

EL50 (48h) 1,000 mg/l (daphnia)

EL 50(72h) 1,000 mg/l (Pseudokirchneriella subcapitata)

LL50 (96h) 1,000 mg/l (Fish)

NOELR (72h) 1,000 ml/l (Pseudokirchneriella subcapitata)

NOELR (28d) 1,000 mg/ltr. (Fish)

1,000 mg/ltr. (daphnia)

Hydrocarbons, C13-C16, isoalkanes, cyclics, <2% aromatics

LC50 (96h) mg/ltr. mg/ltr (Fish)

EL 50(72h) 1,000-10,000 mg/l (Pseudokirchneriella subcapitata)

LL50 (96h) 1,000 mg/l (daphnia)

NOELR (72h) 993-1,000 ml/l (Pseudokirchneriella subcapitata)

NOEL (21d) 5-1,000 ml/l (daphnia) NOELR (28d) 1,000 mg/ltr. (Fish)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP14 Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· UN-Number

· ADR, IMDG, IATA UN3295

· UN proper shipping name

• ADR 3295 HYDROCARBONS, LIQUID, N.O.S. HYDROCARBONS, LIQUID, N.O.S.

· Transport hazard class(es)

· ADR, IMDG, IATA



· Class 3 Flammable liquids.

· Label 3

Packing group

· ADR, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code): 33
EMS Number: F-E,S-D
Stowage Category B

· Slowage Calegory

 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport categoryTunnel restriction codeD/E

(Contd. on page 8)

Printing date 27.02.2020 Version number 1.0 Revision: 27.02.2020

Trade name: Racoon RIM GLOSS COAT - Rim Gloss Sealant

(Contd. of page 7)

· IMDG

· Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Quality Management department
- · Contact: MSDS authorized Person
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - dermal – Category 4
Acute Tox. 3: Acute toxicity - inhalation – Category 3
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3